Web Images Video Maps News Shopping Gmail more v

Sign in



"group key" "conditional access" "public key"

Search Advanced Search Preferences

Web Show options...

Results 1 - 100 of about 543 for "group key" "conditional access" "public key". (0.68 seconds)

LNAI 4456 - A Hierarchical Key Distribution Scheme for Conditional ...

A variety of subscriptions in **Conditional Access** System (CAS) of. DTV broadcasting network bring can not deduce its parent **group key** or brother **group key**, because ... Choose a number e, coprime to m, <e, n> is a **public key**; ... www.springerlink.com/index/61u0657768m53024.pdf - Similar by M Zhu - 2007 - Cited by 1 - Related articles

A Contents Encryption Mechanism Using Reused Key in IPTV

Research of **Conditional Access** (CA) in IPTV is still in its infancy. Recently, the **group key**, the Head-End encrypts the **group key** with the shared key K ... **public key**-based encryption algorithms used in the other schemes. ... www.springerlink.com/index/w1118n860418k512.pdf - <u>Similar</u> by YS Jeong

More results from www.springerlink.com »

Hierarchical Key Distribution Scheme for Conditional Access System ...

A **Group Key** (GK) is added to the key distribution scheme in which partial **public key**; d) Find d, such that de % m = 1, then <d, n> is a private key; ... ieeexplore.ieee.org/iel5/.../04076223.pdf?... · <u>Similar</u>

Key distribution based on hierarchical access control for ...

Figure 1 gives an overview of a typical **Conditional Access**. (CA) system. ... receiving **group key** (RGK), which can reduce the load of and **public key** ... ieeexplore.ieee.org/iei5/30/28566/01277866.pdf?arnumber... - Similar by T Jiang - 2004 - Cited by 20 - Related articles - All 2 versions

More results from ieeexplore.ieee.org.»

RFC 4046 - Multicast Security (MSEC) Group Key Management Architecture

Authentication Key The GCKS provides a symmetric or **public key** for ... channel for broadcast applications such as television **conditional access** systems. 3. ... tools.ietf.org/ntml/rfc4046 - <u>Cached - Similar</u>

draft-ietf-msec-gkmarch-08 - MSEC **Group Key** Management Architecture 6.2.4 Authentication Key The GCKS provides a symmetric or **public key** for ... for broadcast applications such as television **conditional access** systems. 3. ... tools.ietf.org/html/draft-letf-msec-gkmarch - Cached - Similar More results from tools.ietf.org »

A Receiver Authentication and Group Key Delivery Protocol for ...

needs to support the **public-key** infrastructure (PKI) to au- ... [6] Association Radio Industries and Business, "The **conditional access** ... ietcom.oxfordjournals.org/cgi/reprint/E88-B/3/1139.pdf - <u>Similar</u> by U Hidetoshi - Related articles

Patents in Class 380/282

A method and apparatus for distributed **group key** management for multicast ... In a **public key** encryption system where an individual is used as a unit, ... www.freepatentsonline.com/CCL-380-282-p5.html - <u>Similar</u>

Threshold cryptography scheme for conditional access systems ...
Although the conditional access provider often privately defines the protection of the ecms, public key cryptography is a viable tool for transporting keys ...
www.freepatentsonline.com/7224806.html - Similar
by A Eskicioglu - 2007 - Fielated articles - All 7 versions
More results from www.freepatentsonline.com **

[PDF] Realizing Massive-Scale Conditional Access Systems Through ... File Format: PDF/Adobe Acrobat - View as HTML Specifically, the overhead of public-key operations negates RFC 2093: Group Key Man- agement Protocol (GKMP) Specification. http://www. ... www.cse.psu.edu/~traynor/iob/traynor_ndss08.pdf - Similar

by P Traynor - 2008 - Related articles

[PDF] Microsoft PowerPoint - SPIES_nist-km.ppt

File Format: PDF/Adobe Acrobat - View as HTML

Conditional access to keys. Key Recovery ... Group key built directly at originator

Generation of the public key at the sender side different ...

csrc.nist.gov/groups/ST/IBE/documents/June08/SPIES_nist-km.pdf - Similar

[РРТ] Advanced Operating Systems, CSci555

File Format: Microsoft Powerpoint - View as HTML

Group key vs. Individual key. Identifies member of groups vs. which member of ... Real root is CA that signs **public key** associated with Endorsement key ... ccss.usc.edu/599tc/spring07/lectures/usc-csci599-f07-l05.ppt - Similar

Chapter 15: Security:: Part Four: Diverse Topics:: Wimax...
In addition, PKM is used to apply conditional access to network services, ... RSA is a public-key asymmetric encryption algorithm used to encrypt the ... etutorials.org/Networking/.../Chapter+15+Security/ - Cached - Similar

[PDF] Realizing Massive-Scale Conditional Access Systems Through ...
File Format: PDF/Adobe Acrobat - View as HTML
tion systems rely on public-key cryptography to distribute RFC 2093: Group Key Management Protocol (GKMP) Specification. http://www. ...
www.isoc.org/isoc/.../06_realizing_massive-scale_conditional.pdf - Similar
by P Traynor - Related articles - All 5 versions

System and method for establishing secure communication - US ... Inventor: Chang, et al.5870474, Method and apparatus for providing conditional access in ... Inventor: Sasmazel, et al.6038322, Group key distribution ... www.patentstorm.us/patents/7373507/claims.html - Similar

System for broadcasting data signals in a secure manner - US ... encrypted in an encryptor 4E using a group key G common to a group of ... Except for the part described above a conditional access module ... www.patentstorm.us/patents/6393128/description.html - Similar More results from www.patentstorm.us »

Recording of Protected Broadcast Content with Selectable User ...

Likewise, the family or group key-pair is stored in the non-volatile memory of a ... The secure non-volatile memory 15 also stores the family public key so that it This means that the recorded conditional access content is playable ...

www.fags.org/patents/app/20080260351 - Cached - Similar

ACM WiSec '09 -- Conference Program

Asynchronous **Group Key** Distribution on top of the CC2420 Security Mechanisms for Sensor Networks ... A Low-Resource **Public-Key** Identification Scheme for RFID Tags **conditional access** and e-government, in computer systems (e.g., ...

www.sigsac.org/wisec/WiSec2009/program.html - Cached - Similar

ACM Multimedia 2002

"Multicast Security: Issues in **Group Key** Management," Thomson multimedia, Inc., "A **Conditional Access** System for Broadcast Digital Television. ... mm02.eurecom.fr/tutorials/eskicioglu.html - Cached - Similar

DBLP: Jörg Schwenk

... Jörg Schwenk: On Security Models and Compilers for **Group Key** Exchange Protocols. ... 2, Jörg Schwenk: Establishing a Key Hierarchy for **Conditional Access ...** 1 · EE, Jörg Schwenk, Jörg Eisfeld: **Public Key** Encryption and Signature ... www.sigmod.org/dblp/db/.../a.../Schwenk.J=ouml=rg.html - <u>Cached</u> · <u>Similar</u>

Computational Intelligence and Security 2006

Security Analysis of **Public-Key** Encryption Scheme Based on Neural ... Ternary Tree Based **Group Key** Management in Dynamic Peer Networks. A Hierarchical Key Distribution Scheme for **Conditional Access** System in DTV Broadcasting. ... www.sigmod.org/dbip/db/conf/cis/cis2006.html - <u>Cached - Similar</u> More results from www.sigmod.org.»

Nark: Receiver-Based Multicast Non-Repudiation and Key Management We now describe the most scalable of the **group key** management proposals. Ballardie suggested exploiting the same messages individually, **public key** signing leads to an unscalable 810, "**Conditional-Access** Broadcasting Systems", ... portal.acm.org/citation.cfm?doid=336992.336999 - <u>Similar</u> by 8 Briscoe - 1999 - <u>Cited by 25 - Related articles - All 10 versions</u>

Computational Intelligence and Security

Security Analysis of **Public-Key** Encryption Scheme Based on Neural ... Ternary Tree Based **Group Key** Management in Dynamic Peer Networks [full citation] ... A Hierarchical Key Distribution Scheme for **Conditional Access** System in DTV ... portal.acm.org/citation.cfm?id=1417687 - Similar by Y Wang - 2007 - All 2 versions

by Y Wang - 2007 - All 2 versions More results from portal acm org »

[PDF] Realizing Massive-Scale Conditional Access Systems Through ...

File Format: PDF/Adobe Acrobat - View as HTML

content protection systems rely on **public-key** cryptogra- phy to distribute symmetric keys (eg, **Group Key** Management Protocol (GKMP) Spec- ification. ... www.patrickmcdaniel.org/pubs/ndss08.pdf - Similar by P Traynor - 2008 - <u>Related articles</u>

Cryptography inventions -

20090154707 - Method and system for distributing **group key** in video ... 20090147953 - System and method for **conditional access** key encryption: A system 20090136035 - **Public key** infrastructure-based bluetooth smart-key system and ... www.freshpatents.com/Cryptography-dtnewntc380.php - <u>Cached - Similar</u>

Rekeying in secure mobile multicast communications invention

... using suitable mechanisms such as those based on a shared key or member's **public key**. ... [0013] In summary, the **group key** management service is required to ensure the Transmission method for **conditional access** content ...

www.freshpatents.com/Rekeying-in-secure-mobile-multicast-communications-dt20070621ptan20070143600.php - <u>Cached - Similar</u> More results from www.freshpatents.com »

DBLP: Jean-Jacques Quisquater

Public Key Cryptography 2007: 298-314 ... Public Key Cryptography 2006: 474-490 Jean-Jacques Quisquater: Some Attacks Upon Authenticated Group Key Agreement Jean-Jacques Quisquater: Equitable Conditional Access and Copyright ...

www.informatik.uni-trier.de/.../Quisquater:Jean=Jacques.html - Cached - Similar

Secure distribution of heterogeneous multimedia content on the ... conditional access and digital video broadcast receiver functionality (Buer and Wallace, 1996). Variations in ... group key more efficiently while providing higher security. ... public key signatures and hash-sign-switch scheme are used ... inderscience.metapress.com/index/BQ741GLRPUP09HM7.pdf - Similar by A Noore - 2006 - Related articles

Signal Processing: Image Communication: Security of digital ...

Jan 21, 2003 ... Conditional access and digital rights management but public-key cryptography and one-way functions are useful tools for securing key delivery. a substantial amount of research in group key management [21]. ...

linkinghub.elsevier.com/retrieve/pii/S0923596502001431 - Similar by AM Eskiciogiu - 2003 - Cited by 67 - Related articles

Sirene Publications

Waid2_96 Michael Waidner: Electronic Payment Systems; **Public Key** Solutions Gene Tsudik: Authenticated **Group Key** Agreement and Related Protocols; Waid_94 Michael Waidner: Das ESPRIT-Projekt "**Conditional Access** for Europe"; 4. ... www.semper.org/sirene/lit/sirene.lit.html - <u>Qached - Similar</u>

DirecTV DSS Glossary of Terms

CAM: Conditional Access Module. The technical name for any DSS smart card/access card. The first type of key is known as a **public key** which is used to ... The second type of key is known as a **group key** and Is used to authentic ... www.websitesrcg.com/dss/Glossary.htm - Cached - Similar

Roxen Community: RFC 4046 Multicast Security (MSEC) Group Key ... The GCKS provides a symmetric or public key for authentication of its rekey ... for broadcast applications such as television conditional access systems. ... community.roxen.com/developers/idocs/rfc/rfc4046.html - Cached - Similar

Scientific Commons: Dongho Won

Attacks on Bresson-Chevassut-Essiari-Pointcheval's **Group Key** Agreement Scheme a new type of powerful cryptanalytic attacks on **public-key** cryptosystems, ... en.scientificcommons.org/dongho_won - Cached - Similar

draft-ietf-msec-gkmarch-02 - Group Key Management Architecture
6.2.4 Authentication key The GCKS provides a symmetric or public key for ... for broadcast applications such as television conditional access systems. 3. ...
64.170.98.42/html/draft-ietf-msec-gkmarch-02 - Cached - Similar

Security for FLUTE over Satellite Networks

or secret exchange using a **public key** system [19]). These secure associations are then ... the previous **group key** and, therefore, decrypt transmissions that occurred prior **Conditional Access** Systems for Satellite Broadcasting". ESA ... doi.ieeecomputersociety.org/10.1109/CMC.2009.165 - Similar

[PDF] Persona: An Online Social Network with User-Defined Privacy

File Format: PDF/Adobe Acrobat - View as HTML

distributes the **public key** out-of-band to other users with whom they want to share data. ... friends, Alice encrypts a newly-generated **group key** with the Realizing massive-scale **conditional access** systems through ...

www.cs.umd.edu/~bender/papers/persona.pdf - Similar

Nark: Receiver-based Multicast Non-repudiation and Key Management
A special group key change doesn't have to be initiated because systematic changes occur public key signing leads to an unscalable solution because of the sheer volume of heavy 810, "Conditional-Access Broadcasting Systems", ...

www.cs.ucl.ac.uk/staff/bbriscoe/projects/.../nark/nark.html - Cached - Similar

ppp MARKS: Zero Side Effect Multicast Key Management using Arbitrarily ...

File Format: PDF/Adobe Acrobat - View as HTML

because the group key is systematically changed for each new ADU in a stream. ... session key can be sent to each of them encrypted with each **public key** using 810.

"Conditional-Access Broadcasting Systems", (1992) ...

www.cs.ucl.ac.uk/staff/bbriscoe/projects/.../marks_ngc99.pdf - Similar

by B Briscoe - Cited by 109 - Related articles - All 15 versions

More results from www.cs.ucl.ac.uk »

IPDFI V ® LFSR-BASED CRYPTOGRAPHIC CHECKSUMS FOR SECURE BROADCASTING ...

File Format: PDF/Adobe Acrobat - View as HTML

could either be a public-key algorithm or a private-key algorithm, DES-alike schemes are ... shared group key while the group keys is encrypted by the master key and distributed in a Conditional-Access Broadcasting System, 1986. ...

crypto.nknu.edu.tw/publications/infosec95.pdf - Similar

[PDF] Microsoft PowerPoint - GeneralTutorial.ppt

File Format: PDF/Adobe Acrobat - View as HTML

Asymmetric (public) key cipher: enciphering and deciphering keys television receivers wishing to include a conditional access interface Encryption is commonly used to control access to the group key. ...

www.sci.brooklyn.curry.edu/~eskicloglu/Tutorial/Tutorial.pdf - Similar

by A Eskicioglu - 2003 - Cited by 2 - Related articles

[PDF] 1 AHMET M. ESKICIOGLU Department of Computer and Information ...

File Format: PDF/Adobe Acrobat - View as HTML

public-key cryptography and digital certificates, designed the managed access ... Contributed to the design and development of a conditional access system "Multicast

Security: Issues in Group Key Management," Thomson multimedia, ...

www.sci.brooklyn.cunv.edu/~eskicioglu/resume/resume.pdf - Similar

IPDFI Scanning the Issue

File Format: PDF/Adobe Acrobat - View as HTML

cryption, copy control, tagging, tracing, conditional access, and media identification. ... server have public key certificates. After mutual authenti- ...

www.ece.tamu.edu/~deepa/pub/KunLinMacYuProcIEEE04.pdf - Similar

IPDFI Mobile Broadcast Addendum to CMLA Client Adopter Agreement Date ...

File Format: PDF/Adobe Acrobat - View as HTML

conditional access for television technology, television e-commerce access OCSP Responder Certificate Chain (Public Key) ...

www.cm-la.com/.../Mobile%20Broadcast%20Addendum%20to%20CMLA%20Client%2... -Similar

Conditional Access for Mobile Location-Aware Business

dataframes, where copies of the system's public key reside in the mobile receiver terminals, the access group determined by the access group key are ... www.item.ritnu.no/~sfm/research/ION2001paper_Mjolsnes.pdf - Similar by SF Miølsnes - Related articles

rppri White Paper

File Format: PDF/Adobe Acrobat - View as HTML

to more secure channels such as **conditional access** systems. The DTV transition may, as a with B's public key if there is one; B (and only B) then uses its DRM group, but it does have **group key** management efforts ...

www.uspto.gov/web/offices/dcom/olia/.../motionpicwhitepaper.pdf - Similar

Security and Digital Rights Management for Mobile Content

tures and **public key** cryptography algorithms, and the secure socket layer. (SSL) protocol. media distribution, it is preferred that a **group key** K tary) **conditional access** systems, or (3) identify the **conditional access** system ... doi.wiley.com/10.1002/047147827X.ch11 - Similar

Internet Protocol (IP) over Satellite Networks

authentication using **public key** systems, privacy using public and secret **Group key**, used to encrypt traffic. Figure 6.22 Illustration of logical **Conditional access** table (CAT) defines the type of scrambling used and PID values ... doi.wiley.com/10.1002/047087029X.ch6 - Similar

[PDF] Sharing Conditional Access Modules through the Home Network for ...

File Format: PDF/Adobe Acrobat - View as HTML

target a group of cards with a single EMM using a **group key**). ... descrambler's **public key** (sac channel). The key is derived by ...

perlab.gast.it.uc3m.es/refbase/files/.../21_Diaz-Sanchez_etal2009.pdf - Similar

[xls] Day1

File Formati Microsoft Excel - View as HTML

... Achieving Interoperability in **Conditional Access** Systems through the Dynamic Download Information Privacy Protection Using Dynamic key based **Group Key** Management ... An Improved Medium Field Multivariate **Public Key** Cryptosystem ... nms.dongguk.ac.kr/iccit08/ICCiT08_program_tst_draft.xis - <u>Similar</u>

IPDFI Table of Contents - Volume 2

File Format: PDF/Adobe Acrobat - View as HTML

A New Trapdoor in Knaspsack **Public-Key** Cryptosystem with Two Sequences as the **Public Key** Achieving Interoperability in **Conditional Access** Systems through the Dynamic Dynamic Key Based **Group Key** Management nms.dongguk.ac.kr/iccit08/ICCIT08_TOC_Vol2.pdf - <u>Similar</u>

IP Multicast over Satellites - Technology Challenges

3.1 Conditional Access in DVB-S. Conditional access (CA) is a service that using public-key digital signatures, which are ...

pdf.aiaa.org/GetFileGoogle.cfm?gID=942&gTable=Paper - Similar

Access Control [CiteSeer; NEC Research Institute; Steve Lawrence ... Oct 12, 2001 ... SDSI is a proposed **public key** infrastructure that allows principals to define br a group authorization and access control mechanism and a **group key** ... algorithm br authentication and **conditional-access** control. ... citeseer.ist.psu.edu/Security/AccessControl/date.html - Cached - Similar

Prof. Dr. Jörg Schwenk - Lehrstuhl für Netz- und Datensicherheit

On Security Models and Compilers for **Group Key** Exchange Protocols. ... **Public Key** Encryption and Digital Signatures based on Permutation Polynomials. ... Establishing a Key Hierarchy for **Conditional Access** without Encryption. ...

www.rids.ruhr-uni-bochum.de/chair/people/joerg-schwenk/?... - Cached - Similar

[PDF] Ce07ics001996000248.xdw

File Format: PDF/Adobe Acrobat - View as HTML

Key Distribution and Management for **Conditional Access**. System on DBS. Jang Won Lee subscriber's address and the **group key** is unique for ...

dspace.lib.fcu.edu.tw/bitstream/2377/.../ce07ics001996000248.pdf - Similar

by JW Lee - 2006 - Cited by 27 - Related articles - All 4 versions

國家圖書館--全國博碩士論文資訊網: 查詢結果 - [Translate this page]

The Conditional Access System (CAS) is the essential function to provide the channel

"Public Key Broadcast Encryption for Stateless Receivers," in ... etds.ncl.edu.tw/theabs/site/sh/detail_result2.jsp?id... - <u>Cached - Similar</u>

Seungjoo KIM's Selected Publications in English

Note: See also the IETF standard, "RFC 4683: Internet X.509 Public Key "New Pay-TV Conditional Access System Using A Group Key Agreement Protocol ...

dosan.skku.ac.kr/~sjkim/sjkim_pub_e.html - Cached - Similar

Dr. KIM, Seungjoo's Selected Publications in Korean

Note: See also the IETF standard, "RFC 4683: Internet X.509 **Public Key ...** "A Study on the Control of **Conditional Access** to Pay-TV in Satellite Digital ... "An Efficient Dynamic **Group Key** Agreement for Low-Power Mobile Devices", ...

dosan.skku.ac.kr/~sjkim/sjkim_journals_k.html - Cached - Similar

Subject: Electronic CIPHER, Issue 31, March 15, 1999 / / / / ...

Authenticity of the **public key** is based on finding two valid chains: Secure and Scalable Inter-Domain **Group Key** Management for N-to-N Multicast. ... M. Abdalla, Y. Shavitt and A. Wool o **Conditional access** concepts and principles. ...

www.ieee-security.org/Cipher/PastIssues/1999/.../issue9903.txt - Cached - Similar

Subject: Electronic CIPHER, Issue 30, December 18, 1998 / / / ...
It contains a trust center to administrate a **public key** infrastructure and system is one that interactively establishes a **group key** such that -- no user U.S.A.) o **Conditional access** concepts and principles David Kravitz and ...
www.ieee-security.org/Cipher/Pastissues/1998/.../issue9812.txt - <u>Cached</u> - <u>Similar</u>

Full Text

... copy control, tagging, tracing, **conditional access**, and media identification. ... Both the client and the server have **public key** certificates. ... operational environments where members may not receive all of the **group key** updates. ...

index.ieeexplore.ieee.org/iel5/5/28864/1299163/1299163.html - Similar by D Kundur - 2004 - Cited by 9 - Related articles

Lecture Notes in Computer Science, 2007(4456)

More results from www.ieee-security.org »

Cryptography - Security Analysis of **Public-Key** Encryption Scheme Based on Neural ... Cryptography - Ternary Tree Based **Group Key** Management in Dynamic Peer Networks Scheme for **Conditional Access** System in DTV Broadcasting / Zhu, ... www.ucm.es/BUCM/compludoc/W/10709/03029743 8.htm - <u>Cached - Similar</u>

[PDF] SMUG MEETING GLENWOOD, MD September 23-24, 1999 Notes by David ... File Format: PDF/Adobe Acrobat - View as HTML certify 1-time **public key** with long term signature key (such as RSA) should be able to work with hardware based **conditional access** modules ...

www.securemulticast.org/smug5-minutes.pdf - Similar

Internet Draft Mark Baugher (Cisco) IETF MSEC WG Ran Canetti (IBM ... Abstract This document presents a **group key**-management architecture for MSEC. when **public- key** cryptography is not suitable for the particular group. ... www.securemulticast.org/draft-ietf-msec-gkmarch-03.txt - Cached - Similar

[PDF] Enscript Output

File Format: PDF/Adobe Acrobat - View as HTML

This document presents a **group key**-management architecture for MSEC. The KDC may provide a symmetric or **public key** for authentication of its ... lptools1.amsl.com/pdf/draft-ietf-msec-gkmarch-00.pdf - Similar

Project reports

Drawing on the experience of the Pay-TV **Conditional Access** (CA) industry, ... This problem could be resolved using **public key** cryptography, ...

www.cs.bu.edu/~itkis/misc.htm - Cached - Similar

Home Page: Miguel Soriano

"Mantenimiento autónomo y distribuido de la **Group Key** Management sobre Wireless Sensor "A Fast **Public Key** Cryptosystem for Digital Mobile Communications". "An Overview of Security in Eurocrypt **Conditional Access** System". ... globus.upc.es/~soriano/papers.php - <u>Cached</u> - <u>Similar</u>

IPDFI European Telecommunications Standards Institute

File Format: PDF/Adobe Acrobat - View as HTML

operation, then it shows the Logical Key Hierarchy as a **group key** a **public key** system [18]). These secure associations are then used to create and ...

www.cost280.rl.ac.uk/documents/.../documents/pm-5-072.pdf - Similar

by H Cruickshank - Cited by 1 - Related articles

[PDF] 2004-11-04 IEEE C802.16e-04/521r1 0 Project IEEE 802.16 Broadband ...

File Format: PDF/Adobe Acrobat - View as HTML

the BS uses the protocol to enforce **conditional access** to network services. ... incurring the overhead of computation-intensive **public key** operations. ...

wirelessman.org/tge/contrib/C80216e-04_521r1.pdf - Similar

[PDF] Project IEEE 802.16 Broadband Wireless Access Working Group < http ...

File Format: PDF/Adobe Acrobat - View as HTML

tion, the BS uses the protocol to enforce **conditional access** to network services. **....** The digital certificate contains the SS's **Public Key** and **...**

wirelessman.org/tge/contrib/C80216e-05_402r2.pdf - Similar

More results from wirelessman.org »

[PDF] Attribute-Based Content Distribution with Hidden Policy

File Format: PDF/Adobe Acrobat - View as HTML

and generates the **public key** PK and a system master secret scale **conditional access** systems through attribute-based cryptosystems," ...

ece.wpi.edu/~yscheng/file/NPSec08_CDN.pdf - Similar

List of Important Financial Cryptography Papers

Authenticated **Group Key** Agreement and Friends ... keynote: Trust Management for **Public-Key** Infrastructures. 1998. 98.11.1.body.ps. Burrows. Michael ... www.geocities.com/amwibowo/resource/database/fc_papers.pdf · Similar

Notes on the 43rd IETF Meeting

Lennox: **public key** crypto is not a good match here, don't do it! Multicast **conditional access** can be achieved through content management and ... (secrecy via encryption of multicast data with **group key**, group data authentication, ...

www.scimitar.terena.nl/standardisation/.../IETF43_Perkins.html - Cached - Similar

rfc4046

Informational [Page 1] RFC 4046 MSEC **Group Key** Management Architecture April when **public-key** cryptography is not suitable for the particular group. ... bgp.potaroo.net/ietf/idref/rfc4046/ - <u>Cached</u> - <u>Similar</u>

Broadcast encryption - US 5592552

A preferred **conditional access** system is now described which is In this case, the center would use the user **public key** to encrypt the **group key** to the ... www.patents.com/Broadcast-encryption/US5592552/en-US/ - Cached - Similar

[poc] End-to-End IPTV Security: Assets, Risks and Threats

File Format: Microsoft Word - View as HTML

Public key encryption and private key signature can establish a key encrypting key ... A content key might be for a DVB **conditional access**, SRTP or ismacryp ... www.itu.int/md/dologin md.asp?lang=en&id=T05-FG.IPTV... - Similar

[DOC] INTERNATIONAL TELECOMMUNICATION UNION

File Format: Microsoft Word - View as HTML

Public Key cryptography in particular provides a sound mechanism for digital ... employs a Key Management System that uses a **Group Key** Management Protocol, ... www.itu.ini/md/dologin_md.asp?lang=en&id=T05-FG.IPTV... - <u>Similar</u> More results from www.itu.int »

Internet Engineering Task Force Mark Baugher (Cisco) INTERNET ...

Abstract This document presents a **group key**-management architecture for MSEC. when **public- key** cryptography is not suitable for the particular group. ... www.ietf.org/proceedings/.../draft-ietf-msec-gkmarch-00.txt - <u>Cached - Similar</u>

UK nagravision key Websites

conditional access (CA) systems—one of the key enabling technologies for any ... Symmetric key algorithms e.g., DES, AES, etc.; **public key** algorithms e.g. ... www.splut.com/sub/n/nagravision_key.html - <u>Cached - Similar</u>

[PDF] Internet Multicast Security

File Format: PDF/Adobe Acrobat

solutions are based on Shared-Key Cryptosystems, **Public-Key** to authenticate joining members and provide them with the **group key**. ...

www.isso.sparta.com/documents/nds_securecast_nur111c.pdf - Similar

Jamg Won Lee

Key Distribution and Management for **Conditional Access**. System on DBS. Jamg Won Lee jnastericey maintaining the subscriber's **public key** as registered ... 140.134.132.124/bitstream/2377/2974/.../ce07ics001996000248.pdf - <u>Similar</u> by JW Lee - 2006 - <u>Cited by 27 - Related articles - All 4 versions</u>

[PDF] 國立中山大學資訊工程學系 碩士論文

File Format: PDF/Adobe Acrobat

traditional method, we usually use Diffie-Hellman or the **public key** envelope The **group key** is used for encrypting the CK. Every group has its own **group key**. ... In the **Conditional Access** System, it encrypts CK by using the MPK ... etd.lib.nsysu.edu.tw/ETD-db/ETD-search-c/getiiie?URN... - Similar

IPDFI ECHNICAL ESEARCH EPORT

File Format: PDF/Adobe Acrobat - View as HTML

group key management protocols, and design a framework for secure and scal- address and **public key** of each valid RP, and the address of the RP Tree ... www.lib.umd.edu/drum/bitstream/1903/6423/1/TP_2004-9.pdf - <u>Similar</u> by A Roy-Chowdhury - <u>Cited by 3 - Related articles - All 14 versions</u>

ArnetMiner: Jean-Jacques Quisquater

Fault Attacks on **Public Key** Elements: Application to DLP-Based Schemes. of building secure Cliques-type authenticated **group key** agreement protocols. ... www.arnetminer.org/viewperson.do?id=486575&name=Jean... - Similar

UCL/ELEC - Publications du département d'électricité

Some Attacks upon Authenticated **Group Key** Agreement Protocols Resistant server-aided secret computations for **public-key** cryptosystems 15th Symposium ... www.elec.ucl.ac.be/recherche/publications/index.php?... - <u>Qached</u> - <u>Similar</u>

rpoci MESA Technical Report template

File Format: Microsoft Word - View as HTML

Group Key encryption key (GEK) used to protection TEKs during OTAR (Over The Air Conditional Access (CA) is not wholly specified in DVB, but a series of tools one-time passwords, certificates, and **public key** authentication. ...

www.projectmesa.org/.../SYS01_09%20Technologies%20within%20the%20scope%20of%20Project... - <u>Similar</u> by M Secretariat - Related articles

(PDF) *EP001220487B1*

File Format: PDF/Adobe Acrobat - View as HTML

encrypted using the session key K, the public **group key**. X of the source and the partial key Xp unique to that ed digital data provides **conditional access** to that data. certificate encrypted by a **public key** furnished by the ...

https://publications.european-patent-office.org/.../documentpdf.jsp?... - Similar

ISCIS'03

Nov 5, 2003 ... Modular multiplication is fundamental to several **public-key** cryptography ... **Conditional Access** Module Systems for Digital Contents Protection Based Distributed Multicast Routing For Efficient **Group Key** Management. ...

www.iscis03.metu.edu.tr/programme.0.html - Cached - Similar

Method and system to dynamically present a payment gateway for ...
The conditional access client 48 operates to communicate a public key of the the public key or secret group key of the conditional access agent 28). ...
www.wikipatents.com/7237255.html - Cached - Similar

[PDF] P.D. T

File Format: PDF/Adobe Acrobat - View as HTML

If the desired **group key** is to be a **public key**, depending on whether the key applications in **conditional access** schemes for multicasting of real-time ... handle.dtic.mil/100.2/ADA439736 - Similar

by R Poovendran - 1999 - Cited by 5 - Related articles

[PDF] MARKS: Zero Side Effect Multicast Key Management Using Arbitrarily ... File Format: PDF/Adobe Acrobat - View as HTML

group key is systematically changed for each new ADU in a stream. However, ... the session key can be sent to each of them encrypted with each **public key** ... eprints.kfupm.edu.sa/49955/1/49955.pdf - <u>Similar</u> by B Briscoe - 1999 - Cited by 109 - Related articles - All 15 versions

[PDF] Using Trusted Computing to Secure Mobile Ubiquitous Environments File Format: PDF/Adobe Acrobat - View as HTML

of an AIK credential (**public key** certificate), provided by a trusted third can use to protect the download of proprietary **conditional access** software ...

www.isg.rhul.ac.uk/cjm/utctsm.pdf - Similar

by A Leung - Cited by 1 - Related articles - All 11 versions

[PDF] Projet PACE Pairings and Advances in Cryptology for E-cash ...

File Format: PDF/Adobe Acrobat - View as HTML

signatures or 2-move **group key** agreement protocols. Since the beginning of **public-key** cryptography, with the seminal Diffie-Hellman CAFE (**Conditional Access** For Europe) has been a project in the European Community's ESPRIT ...

https://pace.rd.francetelecom.com/.../ANR_PACE_Annexe_Techniquev1.4.pdf - Similar

RFC 4046 - Request for Comments

RFC 4046 MSEC **Group Key** Management Architecture April 2005 4.3. typically used when **public-key** cryptography is not suitable for the particular group. ... rfc.giga.net.tw/rfc4046 · <u>Qached</u> · <u>Similar</u>

Veröffentlichungen - Horst Görtz Institut für IT-Sicherheit

On Security Models and Compilers for **Group Key** Exchange Protocols. **Public Key** Encryption and Digital Signatures based on Permutation Polynomials. ... www.hgi.rub.de/hgi/publikationen/?paginate_by=0 - <u>Gached</u> · <u>Similar</u>

Internet Draft Mark Baugher (Cisco) IETF MSEC WG Ran Canetti (IBM ... We assume IP network operation Internet Draft Group Key Management ... used when public- key cryptography is not suitable for the particular group. ... www.nleymann.de/ip.../ieti/draft-ietf-msec-gkmarch-03.txt - Cached - Similar

DBLP: Jean-Jacques Quisquater

Public Key Cryptography 2007: 298-314 ... Public Key Cryptography 2006: 474-490 Jean-Jacques Quisquater: Some Attacks Upon Authenticated Group Key ... dblp.uni-trier.de/search/author?author=Jean... - Cached - Similar

Improved Efficiency for Revocation Schemes via Newton Interpolation
For example, in most conditional access systems nowadays, all Tzeng and Tzeng [29] proposed a public-key traitor tracing scheme with revocation ... www.openu.ac.ii/home/tamirtassa/Publications/nr.pdf - Similar by N Kogan - 2006 - Cited by 2 - Related articles

Off topic: NDS_CMDS + - Viaccess for Free Forums

1 post - 1 author

They can be addressed to all cards using **public key** 10 (sometimes using a post-code filter), key 11 is the seconday **public key** key 12 is the primary **group key** Shared **conditional access**, MPCS in ADSL and WI-FI routers, Asus ... viaccessfree.biz/forum/showthread.php?t=2445 - Cached - Similar

Dictionary of Acronyms and Abbreviations

CAS, Communications Applications Specification. CAT, **Conditional Access** Table. CAT, Computer Aided Telephony GKMP, **Group Key** Management Protocol ... www.iwpc.org/cal/ri_acronymist.asp?sortBy=all - Cached - Similar

[PDF] A Security Study of Digital TV Distribution Systems

File Formati PDF/Adobe Acrobat - View as HTML

Nowadays there are more and more needs for an open **Conditional Access** (CA) system. From secret to all other users, but on the contrary her **public key** is channel and must therefore be protected with **Group Key** protection. ... dsv.su.se/en/seclab/pages/pdf-files/2005-x-289.pdf - <u>Similar</u> by N Moiavi - Cited by 2 - Related articles - All 7 versions

	1 <u>2 3</u> Nex	ct	
"g	oup key" "conditional access" "public	key"	Search
Search with	n results - Language Tools - Search F Try Google Experin		' Help us improve -

Google Home - Advertising Programs - Business Solutions - Privacy - About Google

	Web	Images	Video	News	Maps	more »		
Google scholar	"publi	c key" "cc	nditional	access	"		- 2001	Searc
	Search only in Engineering, Computer Science, and Mathematics.							
	⊜ Sea	rch in all sub	ject areas.					

Scholar All articles - Recent articles Results 1 - 100 of about 164 for "public key" "conditional acc

[PDF] Smart cards and conditional access

LC Guillou... - Advances in Cryptography—Proceedings of EuroCrypt, 1985 - zedz.net

... 4 - A CP8 CARI FOR **CONDITIONAL ACCESS Conditional access** key carrier cards are now ... TOWAEPS DIGITAL SIGNATURES Secret functions of a **public key** cryptosystem can ...

TOWALFS DIGITAL SIGNATURES Secret functions of a public key cryp

Cited by 37 - Related articles - Web Search - All 2 versions

Cryptology for digital TV broadcasting

BM Macq, JJ Quisquater - Proceedings of the IEEE, 1995 - ieeexplore.ieee.org ... The **conditional access**, ie, the scrambling key distribution system, is discussed in Section III. ... K1 in (I), is seen as a **public key** (everyone is able to encrypt ... Cited by 266 - Related articles - Web Search - BL Direct - All 2 versions

Method and apparatus for providing **conditional access** in connection-oriented interactive networks ...

AH Wasilewski, DF Woodhead, GL Logston - US Patent App. 09/135,615, 1998 - Google Patents ... Methods and apparatus for applying **conditional access** are described that comprise encrypting ... encrypting the second key according to a **public-key** encryption ... Cited by 31 - Related articles - Web Search - All 7 versions

Digital rights management and watermarking of multimedia content for m-commerce applications

F Hartung, F Ramme - IEEE Communications Magazine, 2000 - leeexplore.leee.org ... Encryption **Conditional access** Copy control Identification and tracing ... The DRM system also includes a **public key** decryption engine, a block cipher for bulk ... Cited by 120 - Related articles - Web Search - BL Direct - All 5 versions

Method for securely distributing a conditional use private key to a trusted entity on a remote ... GL Graunke, J Carbajal, RL Maliszewski, CV Rozas - US Patent 5,991,399, 1999 - Google Patents ... such as a DVD player or CD-ROM player) with conditional access based on ... MANIFEST WITH ASYMMETRIC PRIVATE KEY AND STORE CORRESPONDING ASYMMETRIC PUBLIC KEY IN A ... Cited by 24 - Related articles - Web Search - All 2 versions

The ESPRIT Project CAFE—High Security Digital Payment Systems— ▶ kuleuven.ac.be

JP Boly, A Bosselaers, R Cramer, R Michelsen, S ... - Computer Security-ESORICS 94: Third European Symposium on ..., 1994 - books.google.com

... A Method for Obtaining Digital Signatures and **Public- Key** Cryptosystems; Communications of ... Waid 94 Michael Waidner: CAFE-**Conditional Access** for Europe; 4. GMD ...

Citéd by 118 - Related articles - Web Search - BL Direct - All 26 versions

An overview of multimedia content protection in consumer electronics devices-

AM Eskicioglu, EJ Delp - Signal Processing: Image Communication, 2001 - Elsevier ... Both symmetric and **public key** ciphers are commonlyused for content ... Such architectures are considered extensions of **conditional access** systems, restricting ...

Cited by 104 - Related articles - Web Search - All 23 versions

Development of a secure electronic marketplace for Europe- > psu.edu (Por)

M Waidner - LECTURE NOTES IN COMPUTER SCIENCE, 1996 - Springer

... might receive a specific certificate that subsequently enables conditional access

to certain ... They all require a public-key infrastructure Both SSL and SHITP ...

Cited by 44 - Related articles - Web Search - BL Direct - All 18 versions

Model-based verification of a security protocol for conditional access to services- ▶ psu.edu

G Leduc, O Bonaventure, L Leonard, E Koerner, C ... - Formal Methods in System Design, 1999 - Springer ... with proprietary systems which all use different **conditional access** protocols and ... service (provider), a unique decoder uses a **public-key** cryptography protocol ...

Cited by 9 - Related articles - Web Search - BL Direct - All 6 versions

Advances in **conditional access** technology

W Mooij, I Consultants - Broadcasting Convention, 1997. International, 1997 - ieeexplore.ieee.org ... are based on DES-like schemes often in combination with **public key** based components ... This allows modern **Conditional Access** systems a great deal of flexibility to ...

Cited by 7 - Related articles - Web Search - Bt. Direct - All 4 versions

Some general methods for tampering with watermarks- > uclasedu posi

IJ Cox, JPMG Linnartz - IEEE Journal on selected areas in communications, 1998 - leeexplore.leee.org ... In the past [8], we have described such systems as "public" watermarks, drawing analogy with **public key** cryptography. However, this is misleading. ...

Cited by 232 - Related articles - Web Search - BL Direct - All 29 versions

[PDF] A Key Transport Protocol Based on Secret Sharing—An Application to Conditional Access Systems

AM Eskiciogiu, T Multimedia - IS&T/SPIE's 13 th International Symposium on Electronic ..., 2001 - Citeseer ... Key words: **conditional access**, content protection, key transport, multimedia, **public-key** cryptography, secret sharing, symmetric cipher. 1. INTRODUCTION ...

Cited by 4 - Related articles - View as HTML - Web Search - All 9 versions

Apparatus and method for providing secured communications

DL Davis - US Patent 5,805,712, 1998 - Google Patents

... Guillou, L.: "Smart Cards and **Conditional Access**" in Advances in Cryptology—Proceedings of EUROCRYPT 84; T Beth, N ... Output **public key** to g certification s stem ...

Cited by 48 - Related articles - Web Search - All 6 versions

Networked workstation intrusion detection system

J Trostle - US Patent 5,919,257, 1999 - Google Patents

... pre-boot modules, a root master **public key** (ie, the **public key** associated with ... onto the network and the workstation user is granted **conditional access** to the ...

Cited by 35 - Related articles - Web Search - All 2 versions

Verification of the source of program information in a conditional access system

HG Pinder, MS Palgon, GL Akins III, RO Banker - US Patent 6,105,134, 2000 - Google Patents ... A. Gardner [57] ABSTRACT A cable television system provides **conditional access** to services ... PIN EA **PUBLIC KEY** EAD \i ^HEADER -1502 hCAA FIELDS 1506 \- EA FIELDS ...

Cited by 11 - Related articles - Web Search - All 2 versions

Dynamic traitor tracing- ➤ saitama-u.ac.jp (Por)

A Fiat, T Tassa - Journal of Cryptology, 2001 - Springer

... In such systems the content is distributed via terrestrial, cable, or satellite broadcast and, hence, a **conditional access** system must be utilized in order to ...

Cited by 121 - Related articles - Web Search - BL Direct - All 20 versions

Scrambling and key distribution scheme for digital television

W Kanjanarin, T Amornraksa - Ninth IEEE International Conference on Networks, 2001. ..., 2001 - ieeexplore leee.org

... kmut t . ac. th Abstract The scrambling scheme is a part of the **conditional access** system (CAS) that is used to prevent unauthorized access to Pay-TV systems. ...

Cited by 13 - Related articles - Web Search - All 3 versions

[PDF] Digital transmission content protection

B Pearson - Jun, 1999 - dtcp.com

... Page 19. ® 19 Full Authentication (**public key** cryptography) – Supports all types of content ... 21 DTCP Example **Conditional Access** System Internet Cable Provider ...

Cited by 5 - Related articles - View as HTML - Web Search

Evaluation of different video encryption methods for a secure multimedia conferencing gateway- *tu-darmstadt.de [95]

T Kunkelmann, T Blecher, R Reinema, R Steinmetz - Lecture notes in computer science, 1997 - Springer

... 77 • Public Key Encryption (eg RSA and Diffie-HeUman) • Hybrid Encryption ... 82 4.7

DVB - Conditional Access Conditional Access (CA) is a method for video ...

Cited by 16 - Related articles - Web Search - Bt. Direct - All 5 versions

Nark: Receiver-based multicast non-repudiation and key management- ▶ psu.edu perj B Briscoe, I Fairman - Proceedings of the 1st ACM conference on Electronic commerce, 1999 - portal.acm.org ... If receivers require each sender to authenticate their messages individually, **public**key signing leads to an unscalable solution because of the sheer volume of ...

Cited by 25 - Related articles - Web Search - All 10 versions

Conditional access and content security method

RR Sullivan, JM Acken, DW Aucsmith - US Patent 6,069,647, 2000 - Google Patents ... Date of Patent: 6,069,647 May 30,2000 [54] **CONDITIONAL ACCESS** AND CONTENT ... DIGITAL CERTIFICATE FROM PROGRAMMABLE UNIT TO OBTAIN ITS **PUBLIC KEY** (PUKPU) ENCRYPT ...

Cited by 4 - Related articles - Web Search - All 2 versions

Novel applications of cryptography in digital communications

JK Omura - IEEE Communications Magazine, 1990 - leeexplore leee.org

... IN 1976, DIFFIE AND HELLMAN [I] STARTED AN explosion of open research in cryptology when they introduced the notion of **public-key** cryptography [2]. Today there ...

Cited by 24 - Related articles - Web Search - All 3 versions

Beyond cryptographic conditional access

DM Goldschlag, DW Kravitz - Proceedings of the USENIX Workshop on Smartcard Technology ..., 1999 - portal.acm.org

... 3. Non-Cryptographic **Conditional Access** ... device may issue a randomly generated bit-string, where the concatenation of this bit-string with the **public key** of a ...

Cited by 4 - Related articles - Web Search - All 3 versions

Model-based design and verification of security protocols using LOTOS- ▶ kfupm.edu.sa (PDF) F Germeau, G Leduc - Rutgers University, 1997 - eprints.kfupm.edu.sa

... Thus we will focus on two examples that represent the most widely used operations: encryption and signature in **public-key** cryptography. ...

Cited by 18 - Related articles - View as HTML - Web Search - All 5 versions

Cryptographic authentication protocols for smart cards

LC Guillou, M Ugon, JJ Quisquater - Computer Networks, 2001 - Elsevier

... of public key features. This is not surprising because integer factorization and silicon investigation are both complex problems. 2.7. Conditional access to ...

Cited by 11 - Related articles - Web Search - All 3 versions

The smart card: don't leave home without it

D Husemann - IEEE concurrency, 1999 - leeexplore.leee.org

... from conditional access methods for satel-lite TV to electronic signature applications ... stored on the card, we can also implement public key signature schemes ...

Cited by 14 - Related articles - Web Search - All 6 versions

A prepositioned secret sharing scheme for message authentication in broadcast networks-▶ cunv.edu pon

AM Eskiclogiu - Proceedings of the Communications and Multimedia Security ..., 2001 - books.google.com

... Authority (CA) who creates, distributes, maintains and revokes public-key certificates ...

proposed for protecting audio/video content in conditional access systems4 ...

Cited by 6 - Related articles - Web Search - All 7 versions

Management of a public key certification infrastructure—experiences from the DeTeBerkom project ...

M Gehrke, T Hetschold - Computer Networks and ISDN Systems, 1996 - Elsevier

... Keywords: Public key certification; Certification authority; Personal secure

environment; X.700 management ... able without a strong conditional access scheme [11 ...

Cited by 5 - Related articles - Web Search - Bt. Direct - All 4 versions

On the design of conference key distribution systems for the broadcasting networks

CS Laih, SM Yen - INFOCOM, 1993 - citeseer ist.psu.edu

... on text: More All 0.6: On Key Distribution Management For - Conditional Access System

(Correct ... 1529 A Method for Obtaining Digital Signatures and Public--Key Cr ...

Cited by 7 - Related articles - Cached - Web Search - Bt. Direct - All 2 versions

Conditional access system

AJ Wasilewski, HG Pinder, GL Akins, MS Palgon - US Patent App. 09/881,428, 2001 - Google Patents ... 239: 725/31 (57) ABSTRACT A cable television system provides conditional access

to services. ... 1502 -CAA FIELDS -1506 > EA FIELDS 1516 FIG-15 EA PUBLIC KEY EAD u ...

Cited by 5 - Related articles - Web Search - All 4 versions

Public-key techniques: randomness and redundancy

LC Guillou, M Davio, JJ Quisquater - Cryptología, 1989 - informaworld.com

Guillou, Davio, and Quisquater Public-Key Techniques: Randomness and Redundancy

PUBLIC-KEY TECHNIQUES: RANDOMNESS AND REDUNDANCY Louis C. Guillou W, Marc Davio ...

Cited by 11 - Related articles - Web Search

[PDF] ➤ Secure mediation: Requirements and design

J Biskup, U Flegel, Y Karabulut - DATABASE SECURITY, 1999 - Citeseer

... otherwise. For the basic protocols we always only need the public key for encryption in credentials, as sketched in the following. ...

Cited by 23 - Related articles - View as HTML - Web Search - Bt. Direct - All 8 versions

IPDFI A computer aided design of a secure registration protocol

F Germeau, G Leduc - Formal Description Techniques and Protocol Specification, ..., 1997 eprints.kfupm.edu.sa

... 1996) is a conditional access protocol under design in the European ACTS OKAPI ... successful registra- tion, this third party issues a public-key certicate which ...

Cited by 8 - Related articles - View as HTML - Web Search - All 12 versions

Broadcast encryption- ≥ psu.edu por

A Fiat - US Patent 5,592,552, 1997 - Google Patents

... Rivest, RL, et al., A method for obtaining digital signature and **public-key** cryptosystems, Communications of the ACM, V 21, N 2, Feb. 1978, pp. 120-126. ...

Cited by 610 - Related articles - Web Search - Bt. Direct - All 14 versions

Securing the AES finalists against power analysis attacks

TS Messerges - Lecture notes in computer science, 2001 - Springer ... 99 [14]. Researchers have also begun to study the vulnerabilities of **public-key** cryptosystems to these attacks [23, 24]. Power analysis ...

Cited by 125 - Related articles - Web Search - BL Direct - All 5 versions

IPDFI ➤ Secure delivery of images over open networks

D Augot, JM Boucqueau, JF Delaigie, C Fontaine, E ... - Proceedings of the IEEE, 1999 - www-rocq inria.fr ... delivery systems in which watermarking, monitoring, and **public key** infrastructures based ... C. **Conditional Access** Systems (CAS's) Access control is the denial ...

Cited by 29 - Related articles - View as HTML - Web Search - Bt. Direct - All 10 versions

Verification of security protocols using LOTOS-method and application- ➤ Lig.ac.be (PDF)

G Leduc, F Germeau - Computer Communications, 2000 - Elsevier

... Thus we will focus on two examples that represent the most widely used operations: encryption and signature in **public-key** crypto- graphy. ...

Cited by 31 - Related articles - Web Search - All 10 versions

[PDF] Manalysis of privacy and non-repudiation on pay-TV systems

R Song, MR Lyu - IEEE Transactions on Consumer Electronics, 2001 - cse.cuhk.edu.hk

... A mechanism called a **Conditional Access** System (CAS) is employed on Pay-TV systems

to ... Жу: user LPs secret key • PKV: user If s public key • Ks '.a ...

Cited by 6 - Related articles - Web Search - Bt. Direct - Ali 9 versions

Public-key cryptography on smart cards

A Fuchsberger, D Gollmann, P Lothian, KG Paterson, ... - Lecture Notes in Computer Science, 1996 - Springer Page 1. **Public-key** Cryptography on Smart Cards ... **Public key** cryptosystems on smart cards are thus a very attractive proposition for this kind of applications. ...

Cited by 4 - Related articles - Web Search - BL Direct - All 2 versions

MARKS: Zero side effect multicast key management using arbitrarily revealed key sequences-

B Briscoe - Lecture Notes in Computer Science, 1999 - Springer

... way to do this is for all S and KM to run secure Web servers so that the session key can be sent to each of them encrypted with each **public key** using client ...

Cited by 109 - Related articles - Web Search - Bt. Direct - All 15 versions

Pirate Card Rejection

DM Goldschlag, DW Kravitz - Lecture notes in computer science, 2000 - Springer ... that the renewable device does content decryption in addition to **conditional access** (Fig ... which pairs the particular host with a particular card's **public key**. ... Cited by 4 - Related articles - Web Search - BL Direct - All 4 versions

The DVB multimedia home platform-" MHP

J Piesing - IEE Colloquium on Interactive Television (Ref. No. 1999/200), 1999 - leeexplore.ieee.org ... defined for the transmission of digital signatures for applications and to

connect those to conventional public key certificates. When ...

Cited by 8 - Related articles - Web Search - BL Direct

Towards secure mediation

J Biskup, U Flegel, Y Karabulut - Workshop Sicherheit und Electronic Commerce, Essen, Germany, 1998 - Is6www.informatik.uni-dortmund.de

... as plaintext and encrypted with (some of) the **public key**(s) occurring in ... **Conditional Access** Workshop, 44th RACE Concertation Meeting, Brussel, November 1994. ...

Cited by 10 - Related articles - View as HTML - Web Search - All 6 versions

Fully meshed CDMA network for personal communications terminals

RJ Fang - US Patent 5,481,561, 1996 - Google Patents

Page 1. United States Patent Fang US005481561A [ii] Patent Number: [45]

Date of Patent: 5,481,561 Jan. 2, 1996 [54] FULLY MESHED ...

Cited by 10 - Related articles - Web Search - All 7 versions

See what you sign: Secure implementations of digital signatures-

A Weber - Lecture notes in computer science, 1998 - Springer

... A message bearing a digital signature verified by the **public key** listed in a ... 7023

CAFE (Conditional Access for Europe) of the European Union, 1992-1996 7 It is ...

Cited by 15 - Related articles - Web Search - BL Direct - All 9 versions

Personal and thin-route communications via K-bandsatellite transponders

RJF Fang - IEEE Military Communications Conference, 1991. MILCOM'91, ..., 1991 - ieeexplore.ieee.org ... Communications privacy and **conditional access** canbe incorporated intothePCTbyusingencryption. ... On the other hand, if a **public key** encryption ...

Cited by 4 - Related articles - Web Search - All 3 versions

Issues for the Commercial Distribution of Electronic Documents- ▶ SSE edu (PDF)

V Prevelakis, D Konstantas, JH Morin - Communications and Multimedia Security, 1997 - books.google.com ... is unique for each transaction, is then encrypted using RSA **public key** technology ... CAFE [1 7](**Conditional Access** For Europe) is an ESPRIT project that developed ...

Cited by 13 - Related articles - Web Search - All 6 versions

Source authentication of download information in a conditional access system

GL Akins, RO Banker, MS Palgon, HG Pinder, AJ ... - US Patent App. 09/748,313, 2000 - Google Patents ... 380/241; 380/239; 380/229 (57) ABSTRACT A cable television system provides **conditional** access to services ... 15H 1525-J PIN J FIG 15 1527-^ EA **PUBLIC KEY** -1506 JJ ...

Cited by 2 - Related articles - Web Search - All 8 versions

Representing entitlments to service in a **conditional access** system

GL Akins, RO Banker, MS Palgon, HG Pinder, AJ ... - US Patent App. 09/930,901, 2001 - Google Patents ... CI 380/282 (57) ABSTRACT A cable television system provides **conditional access** to services. ... PIN EA **PUBLIC KEY** EAD 14 -HEADER -1502 •CAA FIELDS 1506 EA FIELDS ...

Cited by 2 - Related articles - Web Search - All 8 versions

[PDF] ▶ Digital rights management for digital cinema

D Kirovski, M Peinado, FAP Petitoolas - Invited paper in Security in Imaging: Theory and ..., 2001 - Citeseer ... The general goal is to ensure secure distribution of the content and enforce conditional access to it. ... We base authentication on public-key cryptography. ...

Cited by 8 - Related articles - View as HTML - Web Search - All 14 versions

System and method for providing security in data communication systems

BK Ichikawa - US Patent 5,872,846, 1999 - Google Patents

... permission, or the Conditional Access method, and is ... this instance, the key that

is used to encrypt the data is designated as a receiver's public key, in that ...

Cited by 2 - Related articles - Web Search - All 6 versions

IPDFI ➤ Copy protection for DVD video

JA Bloom, IJ Cox, T Kalker, JPMG Linnartz, ML ... - Proceedings of the IEEE, 1999 - Citeseer ... Exchange using a 160-bit elliptic curve **public key** cryptosystem compat ... interconnects

including the Universal Serial Bus, **conditional access** smartcard interfaces ...

Cited by 171 - Related articles - View as HTML - Web Search - BL Direct - All 31 versions

[PDF] ▶ Implementing protocol verification for E-commerce

B Aziz, D Gray, G Hamilton, F Oehl, J Power, D ... - Proceedings of the 2001 International Conference on Advances ..., 2001 - antareja.rvs.uni-bielefeld.de

... Providing Equitable **Conditional Access** by Use of Trusted Third Parties. ... G. Lowe.

Breaking and Fixing the Needham-Schroeder **Public-Key** Protocol Using FDR. ...

Cited by 4 - Related articles - View as HTML - Web Search - All 2 versions

Towards a mechanization of cryptographic protocol verification

D Bolignano - Lecture Notes in Computer Science, 1997 - Springer

... by a particular principal and is known as the private key of this principal, whereas

the other one is not confidential and is known as the **public key** of this ... Cited by 64 - Related articles - Web Search - Bt. Direct - All 4 versions

Secured Web access- ▶ purdue.edu por

M Mohania, V Kumar, Y Kambayashi, B Bhargava - Digital Libraries: Research and Practice, 2000 Kyoto, ..., 2000 - leeexplore.leee.org

... is verified, the user is either given **conditional access**, timed access ... **Public key** cryptographic systems provide a more sophisticated form of authentication that ...

Cited by 3 - Related articles - Web Search - All 3 versions

IPSI A security platform for future telecommunication applications and services

M Gehrke, E Koch - Proc. of the 6th Joint European Networking Conference, 1992 - Igd.fhg.de

... Information with low variation frequency, such as public key certificates, will

be stored ... Proceedings of the RACE Workshop on Conditional Access, Bruessel, Nov ...

Cited by 5 - Related articles - View as HTML - Web Search - All 3 versions

Method of electronic payment by chip card by means of numbered tokens allowing the detection of ...

LC Guillou, JJ Quisquater - US Patent 5,305,383, 1994 - Google Patents

... For **conditional access**, keyholder cards are used ... the keys used for managing the elements of the system 15 which is teyond his control **Public-key** algorithms will ...

Cited by 10 - Related articles - Web Search - All 2 versions

A simple micro-payment scheme

MS Hwang, IC Lin, LH Li - The Journal of Systems & Software, 2001 - Elsevier

- ... This protocol uses public-key cryptography and applies CA-based security. ... Page
- 3. and Conditional Access for Europe (CAFE) (Boly et al., 1994). ...

Cited by 37 - Related articles - Web Search - All 4 versions

Document management system

M Hajmíragha - US Patent 6,289,460, 2001 - Google Patents

... 98 provides 55 to users to publish a user's **public key** to verify ... man- ager 104 includes process flow templates that generate **conditional Access** Control List ...

Cited by 3 - Related articles - Web Search - All 7 versions

Data security issues, cryptographic protection methods, and the useof cellular neural networks and ...

J Vandewalle, B Preneel, M Csapodi - Cellular Neural Networks and Their Applications Proceedings, ..., 1998 - ieeexplore.ieee.org

... Existing implementations of **conditional access** systems (eg, Canal+ pay-TV service) use ... However the **public-key** algorithms are much more difficult to design. In ...

Cited by 3 - Related articles - Web Search

IPDFI ➤ Yet Another Simple Internet Electronic Payment System

J Zhao, C Dong, E Koch - Proc. of the IFIP 1996 World Conference-Mobile ..., 1996 - Citeseer ... designer W. Mao, the system does not utilize **public key** certification infrastructure ... CAFE (**Conditional Access** for Europe) is a project in the European Community ...

Offed by 2 - Related articles - View as HTML - Web Search - All 6 versions

A new method of Internet access within a DBS environment

JH Hahn, DH Han, KH Lee, JC Ryou, TT Div, T ETRI - IEEE Transactions on Consumer Electronics, 1998 - ieeexplore.ieee.org

... The **conditional access** services prevent programs or data from being accessed by unauthorized users but it is only available for ... **public key** mechanism are used. ...

Cited by 1 - Related articles - Web Search - BL Direct - Ali 2 versions

Keeping card data secure at low cost

AW Vaidya, TSS Int - Security and Detection, 1995., European Convention on, 1995 - leeexplore.leee.org ... can have in addition to memory some logic circuitry giving **conditional access** and a ... recovered from the memory and decrypted using the appropriate **public key**. ... Cited by 2 - Related articles - Web Search - BL Direct - All 2 versions

Programmable telecommunications security module for key encryption adaptable for tokenless use

PA Walter, EP McGrogan Jr, M Kleidermacher - US Patent 6,151,677, 2000 - Google Patents ... The security of both single-key and **public-key** encryption systems depends on ... an integrated circuit (1C) chip 130 designed for **conditional access** systems which ... Cited by 2 - Related articles - Web Search - All 6 versions

An Integrated Secure Web Architecture For Protected Mobile Code Distribution- ▶ ∰g.de [FDF] M Jalali-Sohi, R Foka, G Hachez, A Beitlich - Communications and Multimedia Security Issues of the New ..., 2001 - books.google.com

... for Jar files recommended by inventors of the RSA **public-key** cryptography and ... OCTALIS [8] This project studied how to couple **conditional access** and copyright ...

Cited by 2 - Related articles - Web Search - All 8 versions

[PDF] Security protocols over open networks and distributed systems: Formal methods for their analysis, ...

S Gritzalis, D Spinellis, P Georgiadis - Computer Communications, 1999 - eprints kfupm.edu.sa ... used to model the Equicrypt protocol [38] for **conditional access** to multimedia serv ... has been applied on the Needham-Schroeder **public-key** authentication protocol ... Cited by 86 - Related articles - View as HTML - Web Search - All 12 versions

Process for protecting an information item transmitted from a security element to a decoder and ...

A Campinos, JB Fischer - US Patent 6,266,415, 2001 - Google Patents ... the said data representing at least one programme selected by a **conditional-access** system user. ... 2, a **public key** algorithm can be used for the devices 9 and 10. ... Cited by 1 - Related articles - Web Search - All 4 versions

Firewalling the net

SD Hubbard, JC Sager - BT Technology Journal, 1997 - Springer Page 1. BT Technol J Vol 15 No 2 April 1997 94 Firewalling the Net SD Hubbard and JC Sager To connect any stand-alone enterprise ...

Cited by 17 - Related articles - Web Search - All 5 versions

Authorization and access control of software object residing in set-top terminals

R Safadi, L Vince - US Patent 6,256,393, 2001 - Google Patents

... the utilization of a set-top resource, a second **conditional access** routine may be ... which is not published) and is verified with Microsoft's **public key**, which is ...

Cited by 2 - Related articles - Web Search - All 6 versions

System for controlling access to a function having clock synchronization

Y Audebert - US Patent 5,737,421, 1998 - Google Patents

... condition is not satisfied, 65 The system is assumed to grant **conditional access** to a ... mode" device in which 55 algorithm itself may use a **public key** or a ...

Cited by 4 - Related articles - Web Search - All 3 versions

Method and apparatus for controlling the operation of a signal decoder in a broadcasting system

M von Willich, SPA Rix - US Patent 6,021,197, 2000 - Google Patents

... Enhanced Cost effective Line Shuffle Scrambling System with Secure **Conditional Access** Autho- rization ... decrypt signature using **public key** transport stream on list ...

Cited by 1 - Related articles - Web Search - All 6 versions

Key management for encrypted broadcast- ➤ tau.ac.ii (POF)

A Wool - ACM Transactions on Information and System Security (TISSEC), 2000 - portal.acm.org ... General Terms: Security Additional Key Words and Phrases: **Conditional access**, pay-per ... However, their techniques rely on RSA **public-key** cryptography [Rivest et ... Cited by 26 - Related articles - Web Search - All 14 versions

Personal communications via iNTELSAT K u-band transponders

RJF Fang - International Journal of Satellite Communications, 1992 - Interscience.wiley.com ... Communications privacy and **conditional access** can be incorporated into the PCT by using ... On the other hand, if a **public key** encryption system is employed for ...

Cited by 1 - Related articles - Web Search - Bt. Direct - Ali 5 versions

IPDFI Multimedia watermarking techniques

F Hartung, M Kutter - Proceedings of the IEEE, 1999 - vis.uky.edu ... is a key requirement for copy- right protection or **conditional access** applications,

but ... can, for example, embed two watermarks, one with a **public key** and the ...

Cited by 759 - Related articles - View as HTML - Web Search - BL Direct - All 18 versions

System and method for user authentication having clock synchronization

Y Audebert - US Patent 5,887,065, 1999 - Google Patents

... second unit. The second unit grants **conditional access** to a lunction or service in accordance with an authentication operation. Both ...

Cited by 8 - Related articles - Web Search - All 2 versions

Supplemental conditional access for DSS

R Takahashi, J Wallace - Consumer Electronics, 1996. Digest of Technical Papers., ..., 1996 - ieeexplore.ieee.org

... Implementation and Architecture The supplemental DSS **conditional access** is based on the **public key** concept to distribute content keys and provide ...

Web Search - BL Direct - All 2 versions

CONDITIONAL ACCESS SYSTEM FOR DIGITAL RECEIVERS

A ESKICIOGLU, M OZKAN, B BEYERS Ur - 1999 - freepatentsonline.com

... **Conditional Access** Organization (CA) 75 is not directly connected to either the ... sharing which eliminates the requirement for using **public key** cryptography to ...

Related articles - Web Search - All 5 versions

Smartcard uart for minimizing processor demands in a conditional access system

DJ Duffield, JA Cooper, M Narasimhan - US Patent App. 10/490,679, 2001 - Google Patents ... is preferably used in a smart card of a **conditional access** system, it ... 21, 2005 **public key** infrastructure (PKI) key management systems, video game systems, etc ...

Web Search - All 6 versions

Method and apparatus for controlling the operation of a signal decoder in a broadcasting system

WM Von, RSP Ashley - EP Patent 0,750,423, 1996 - freepatentsonline.com

... conditional access module 13 includes a descrambler 17 with conditional access data filters ... then encrypted using a secret key of a public key encryption method ...

Web Search - All 2 versions

[PDF] ➤ On the Security of Digital Video Distribution Systems

A Adas, T Tran, AN Tantawy - 1996 - Citeseer

... provide high speed encryption of exchanged data, while **public key** systems are used for secure and ... 3 An Example Broadcast System with **Conditional Access** ...

Related articles - View as HTML - Web Search - Library Search - All 2 versions

A COPY PROTECTION SYSTEM FOR HOME NETWORKS

A ESKICIOGLU, W BEYERS Jr. P It - 2000 - freepatentsonline.com

... provider sends a **conditional access** (CA) entitlement message (ie, an Entitlement Control Message or ECM) in the bit stream encrypted by the **public key** that may ...

Web Search - All 5 versions

Systems and devices for the cryptography of digital signals.

S Cucchi, G Parladori, R Maestri, P It - 1992 - freepatentsonline.com

... 8 June 1985, MONTREUX (CH) pages 186 - 194; SM EDWARDSON: 'A **Conditional Access** System for ... according to claim 1, in which it is used the **public key** technics to ...

Web Search - All 3 versions

ENCRYPTION DEVICES FOR USE IN A CONDITIONAL ACCESS SYSTEM

M PALGON, H PINDER - 1999 - freepatentsonline.com

... 1. If the service is provided by an entitlement agent for which the customer's DHCT 333 does not have the **public key**, the **conditional access** authority must ...

Related articles - Web Search - All 5 versions

A GLOBAL COPY PROTECTION SYSTEM FOR DIGITAL HOME NETWORKS

A ESKICIOGLU, D VIRAG, D DUFFIELD, M DEISS, B ... - 2000 - freepatentsonline.com

... 6. The method of Claim 5 wherein the step of initializing comprises the step of receiving a **public key** from a **conditional access** provider, said step of ...

Web Search - All 5 versions

Remote e-purse payment system

C Genevois, W Neifer, M Krall - US Patent App. 09/936,303, 2001 - Google Patents ... but open architecture to allow interaction of diverse **conditional access** systems

with one ... to a specific provider) [0038] 2bb) filters a **public-key** for reading ...

Web Search - All 6 versions

A Trusted Third Party Network for the Equi® rypt Access Control System

AFA Teledetection - Global Information Infrastructure (Gil) Evolution: ..., 1996 - books.google.com ... minimal set of functionality allowing a customized open conditional access system implementation ... will be detailed in Section 3; c) Public Key cryptography: will ... Related articles - Web Search

Descrambling device for use in a conditional access system

KC Bacon - US Patent App. 09/780,544, 2001 - Google Patents

... Date: Aug. 15,2002 (54) DESCRAMBLING DEVICE FOR USE IN A CONDITIONAL ACCESS SYSTEM (76) Inventor: Kinney C. Bacon, Lawrenceville, GA (US) Correspondence Address ...

Web Search - All 6 versions

VERIFICATION OF THE SOURCE OF PROGRAM OF INFORMATION IN A CONDITIONAL **ACCESS** SYSTEM

GL Akins III, RO Banker, MS Palgon, HG Pinder - EP Patent 1,010,323, 2001 - freepatentsonline.com

... 1. If the service is provided by an entitlement agent for which the customer's DHCT

333 does not have the public key, the conditional access authority must ...

Related articles - Web Search - All 5 versions

CA system for broadcast DTV using multiple keys for different service providers and service

A Eskicloglu, DJ Duffield, BW Beyers, MS Deiss, DE ... - US Patent App. 09/962,970, 2001 - Google Patents ... service providers. [0012] Such a conditional access system as the one described above may be based on public key technology. At least ...

Web Search - All 6 versions

AUTHORIZATION OF SERVICES IN A CONDITIONAL ACCESS SYSTEM

GL Akins III, RO Banker, HG Pinder, AJ Wasilewski - EP Patent 1,000,508, 2001 - freepatentsonline.com ... 1. If the service is provided by an entitlement agent for which the customer's DHCT 333 does not have the **public key**, the **conditional access** authority must ...

Web Search - All 6 versions

Method, encoding apparatus and decoding apparatus for protecting a data stream using encryption or ...

K Gaedke, H Peters, H Schutze - US Patent App. 09/780,727, 2001 - Google Patents

... digital transmission content protection) or XCA (extended conditional access) exist ... encryption mentioned above is generated using a public key encryption system ...

Web Search - All 5 versions

CONDITIONAL ACCESS SYSTEM

GL Akins III. MS Palgon, HG Pinder, AJ Wasilewski - EP Patent 1,000,511, 2001 - freepatentsonline.com ... 1. If the service is provided by an entitlement agent for which the customer's DHCT 333 does not have the public key, the conditional access authority must ...

Related articles - Web Search - All 5 versions

Method and apparatus for generating a data stream protected by encryption

K Gaedke, H Peters, H Schuetze - EP Patent 1,124,376, 2001 - freepatentsonline.com

... For PKES and PKDS a well-known **public key** encryption algorithm like eg RSA ... Further, the encryption of the VLC code tables also allows conditional access to the ...

Web Search - All 4 versions

An embedded cryptosystem for digital broadcasting

GS Sundaram, S Sista - 1997 IEEE 6th International Conference on Universal Personal ..., 1997 leeexplore leee.org

... Digital mult,imedia broadcasting, needs new crypto- graphic tools for **conditional access**. ... prob- lems can be avoided by using a **public key** encryption scheme ... Related articles - Web Search

System for securing encryption renewal system and for registration and remote activation of ...
JI Okimoto, LW Tang - US Patent App. 09/898,168, 2001 - Google Patents
... information about which video on demand system is associated with the conditional
access system ... or more of a secret shared key, a private key, and a public key. ...
Web Search - All 5 versions

Content packet distribution system

RW Schumann, R Whittemore, DM Goldschlag, DW ... - US Patent App. 09/880,855, 2001 - Google Patents ... The system proposed by Peterson uses a **public key** held at an authorization center ... protection architecture that may be used to provide **conditional access** to data ... Web Search - All 4 versions

Secure time reference for content players

BL Candelore - US Patent App. 09/854,021, 2001 - Google Patents ... in decrypted format, 130, to the content player and **Conditional Access** module as ... consumer's content player in this embodiment, uses the **public key** to encrypt a ... Web Search - All 2 versions

METHOD AND APPARATUS FOR USE OF A WATERMARK AND A RECEIVER DEPENDENT REFERENCE FOR THE PURPOSE OF ...

MA EPSTEIN - US Patent App. 09/320,806, 1999 - Google Patents ... utilized as a unique receiver identifier and a private/ **public key** system is ... another embodiment, the source device 230 may be a **conditional access** (CA) device. ... Web Search - All 6 versions

System and method for authenticating the location of content players

Bi. Candelore - US Patent App. 09/840,226, 2001 - Google Patents ... 2 may comprise a Point of Deployment (POD) **conditional access** module, a ... cryptographic CPU 230 securely communicates using secret or **public key** cryptog- raphy ... Web Search - All 2 versions

Scrambling unit for a digital transmission system

L Tranchard, C Declerck, P It - 1999 - freepatentsonline.com ... arrangement is used, the scrambling unit possesses an equivalent **public key** permitting the ... control word generator 3 and one or more **conditional access** systems 6 ... Related articles - Web Search - All 6 versions

Key authors: M Waidner - L Guillou - A Fiat - I Cox - F Hartung

Goog Ie ▶

Result Page: 1 2 Nex

"public key" "conditional access"

Search

Go to Google Home - About Google - About Google Scholar

©2009 Google

June Se	Web	Images	Video	News	Maps	more »		
Google scholar	"publi	c key" "cc	nditiona	access	" hierarc	hy	- 2001	Searc
	Search only in Engineering, Computer Science, and Mathematics.							
	() Sea	irch in all sub	ject areas.					

Scholar All articles - Recent articles Results 1 - 47 of 47 for "public key" "conditional access" hie

Cryptology for digital TV broadcasting

BM Macq, JJ Quisquater - Proceedings of the IEEE, 1995 - leeexplore.ieee.org ... The conditional access, ie, the scrambling key distribution system, is discussed in Section III. ... K1 in (I), is seen as a public key (everyone is able to encrypt ... Cited by 266 - Related articles - Web Search - BL Direct - All 2 versions

Method and apparatus for providing conditional access in connection-oriented interactive networks ...

AH Wasilewski, DF Woodhead, GL Logston - US Patent App. 09/135,615, 1998 - Google Patents ... Methods and apparatus for applying conditional access are described that comprise encrypting ... encrypting the second key according to a public-key encryption ... Cited by 31 - Related articles - Web Search - All 7 versions

[PDF] ► A Key Transport Protocol Based on Secret Sharing—An Application to Conditional **Access** Systems

AM Eskicioglu, T Multimedia - IS&T/SPIE's 13 th International Symposium on Electronic ..., 2001 - Citeseer ... A conditional access (CA) system 1,2 is a system ... 9 that eliminates the need for public key cryptography (or ... will explain how the required key hierarchy can be ...

Cited by 4 - Related articles - View as HTML - Web Search - All 9 versions

Scrambling and key distribution scheme for digital television

W Kanjanarin, T Amomraksa - Ninth IEEE International Conference on Networks, 2001, ..., 2001 ieeexplore.ieee.org

... Pay-TV service providers employ Conditional Access System (CAS), which uses scrambling, to ... There have been many proposals for key hierarchy models for key ...

Cited by 13 - Related articles - Web Search - All 3 versions

Cryptographic authentication protocols for smart cards

LC Guillou, M Ugon, JJ Quisquater - Computer Networks, 2001 - Eisevier ... the verifier knows a public key corresponding to a ... cryptographic controls and card hierarchy: this history ... to the evolution of conditional access. resulting in ...

Cited by 11 - Related articles - Web Search - All 3 versions

Verification of the source of program information in a conditional access system

HG Pinder, MS Palgon, GL Akins III, RO Banker - US Patent 6,105,134, 2000 - Google Patents ... A. Gardner [57] ABSTRACT A cable television system provides conditional access to services ... PIN EA PUBLIC KEY EAD \i ^HEADER -1502 hCAA FIELDS 1506 \- EA FIELDS ...

Cited by 11 - Related articles - Web Search - All 2 versions

Nark: Receiver-based multicast non-repudiation and key management- ▶ psu.edu repri B Briscoe, I Fairman - Proceedings of the 1st ACM conference on Electronic commerce, 1999 - portal.acm.org ... All the key hierarchy approaches send new keys over the multicast ... require each sender to authenticate their messages individually, public key signing leads to ...

Cited by 25 - Related articles - Web Search - All 10 versions

Beyond cryptographic conditional access

DM Goldschlag, DW Kravitz - Proceedings of the USENIX Workshop on Smartcard Technology ..., 1999 - portal acm.org

... of this bit-string with the **public key** of a ... For example, a **hierarchy** of signing authorities may exist ... work has been copy protection and not **conditional access**. ...

Cited by 4 - Related articles - Web Search - All 3 versions

A prepositioned secret sharing scheme for message authentication in broadcast networks-

AM Eskiciogiu - Proceedings of the Communications and Multimedia Security ..., 2001 - books.google.com ... distributes, maintains and revokes **public-key** certificates. ... audio/video content in **conditional access** systems4 ... be used to establish the required key **hierarchy**. ...

Cited by 6 - Related articles - Web Search - All 7 versions

Conditional access system

AJ Wasilewski, HG Pinder, GL Akins, MS Palgon - US Patent App. 09/881,428, 2001 - Google Patents ... 239; 725/31 (57) ABSTRACT A cable television system provides **conditional access** to services. ... 1502 -CAA FIELDS -1506 > EA FIELDS 1516 FIG-15 EA **PUBLIC KEY** EAD u ... Cited by 5 - Related articles - Web Search - All 4 versions

Secured Web access- ▶ purdue.edu (ror)

M Mohania, V Kumar, Y Kambayashi, B Bhargava - Digital Libraries: Research and Practice, 2000 Kyoto, ..., 2000 - ieeexplore.ieee.org

... user is either given **conditional access**, timed access ... Such **hierarchy** is nec- essary in answering ... **Public key** cryptographic systems provide a more sophisticated ...

Cited by 3 - Related articles - Web Search - All 3 versions

Source authentication of download information in a conditional access system

GL Akins, RO Banker, MS Palgon, HG Pinder, AJ ... - US Patent App. 09/748,313, 2000 - Google Patents ... 380/241; 380/239; 380/229 (57) ABSTRACT A cable television system provides **conditional** access to services ... 15H 1525-J PIN J FIG 15 1527-^ EA **PUBLIC KEY** -1506 JJ ...

Cited by 2 - Related articles - Web Search - All 8 versions

Representing entitlments to service in a conditional access system

GL Akins, RO Banker, MS Palgon, HG Pinder, AJ ... - US Patent App. 09/930,901, 2001 - Google Patents ... CI 380/282 (57) ABSTRACT A cable television system provides **conditional access** to services. ... PIN EA **PUBLIC KEY** EAD 14 -HEADER -1502 •CAA FIELDS 1506 EA FIELDS ...

Cited by 2 - Related articles - Web Search - All 8 versions

Public-key techniques: randomness and redundancy

LC Guillou, M Davio, JJ Quisquater - Cryptologia, 1989 - informaworld.com Guillou, Davio, and Quisquater **Public-Key** Techniques: Randomness and Redundancy

PUBLIC-KEY TECHNIQUES: RANDOMNESS AND REDUNDANCY Louis C. Guillou W, Marc Davio ...

Cited by 11 - Related articles - Web Search

Keeping card data secure at low cost

AW Vaidya, TSS Int - Security and Detection, 1995., European Convention on, 1995 - ieeexplore.ieee.org ... memory some logic circuitry giving **conditional access** and a ... the memory and decrypted using the appropriate **public key**. ... There is a **hierarchy** of functions that a ...

Cited by 2 - Related articles - Web Search - BL Direct - All 2 versions

[PDF] Secure mediation: Requirements and design

J Biskup, U Flegel, Y Karabulut - DATABASE SECURITY, 1999 - Citeseer

... otherwise. For the basic protocols we always only need the **public key** for encryption in credentials, as sketched in the following. ...

Cited by 23 - Related articles - View as HTML - Web Search - BL Direct - All 8 versions

[PDF] ➤ On the Security of Digital Video Distribution Systems

A Adas, T Tran, AN Tantawy - 1996 - Citeseer

... the use of a key **hierarchy** where the ... any **public key** algorithms for authentication because of patent ... scrambling and the **conditional access** application reside on ...

Related articles - View as HTML - Web Search - Library Search - All 2 versions

A Trusted Third Party Network for the Equi® rypt Access Control System

AFA Teledetection - Global Information Infrastructure (Ĝil) Evolution: ..., 1996 - books.google.com ... allowing a customized open **conditional access** system implementation. ... in which case the ACU's **public key** will be ... without a systematic **hierarchy** between TTPs. ...

Related articles - Web Search

VERIFICATION OF THE SOURCE OF PROGRAM OF INFORMATION IN A CONDITIONAL ACCESS SYSTEM

GL Akins III, RO Banker, MS Palgon, HG Pinder - EP Patent 1,010,323, 2001 - freepatentsonline.com ... 24 is a diagram showing the relationship between TEDs and the rest of **conditional** access system 601; ... 28 is a description of a **public key hierarchy**; and; FIG. ... Related articles - Web Search - All 5 versions

ENCRYPTION DEVICES FOR USE IN A CONDITIONAL ACCESS SYSTEM

M PALGON, H PINDER - 1999 - freepatentsonline.com

... 24 is a diagram showing the relationship between TEDs and the rest of **conditional access** system 601; ... 28 is a description of a **public key hierarchy**; and; FIG. ...

Related articles - Web Search - All 5 versions

AUTHORIZATION OF SERVICES IN A CONDITIONAL ACCESS SYSTEM

GL Akins III, RO Banker, HG Pinder, AJ Wasilewski - EP Patent 1,000,508, 2001 - freepatentsonline.com ... 24 is a diagram showing the relationship between TEDs and the rest of **conditional** access system 601; ... 28 is a description of a **public key hierarchy**; and; FIG. ... Web Search - All 6 versions

CONDITIONAL ACCESS SYSTEM

GL Akins III, MS Palgon, HG Pinder, AJ Wasilewski - EP Patent 1,000,511, 2001 - freepatentsonline.com ... 24 is a diagram showing the relationship between TEDs and the rest of **conditional** access system 601; ... 28 is a description of a **public key hierarchy**; and; FIG. ...

Related articles - Web Search - All 5 versions

MARKS: Zero side effect multicast key management using arbitrarily revealed key sequences-

B Briscoe - Lecture Notes in Computer Science, 1999 - Springer

... of approaches involves a single key for the multicast data, but a **hierarchy** of keys ...

key can be sent to each of them encrypted with each public key using client ...

Cited by 109 - Related articles - Web Search - BL Direct - All 15 versions

Towards secure mediation

J Biskup, U Flegel, Y Karabulut - Workshop Sicherheit und Electronic Commerce, Essen, Germany, 1998 - Is6www.informatik.uni-dortmund.de

... with (some of) the **public key**(s) occurring in ... **Conditional Access** Workshop, 44th RACE Concertation Meeting, Brussel ... Role **hierarchies** and constraints for lattice ...

Cited by 10 - Related articles - View as HTML - Web Search - All 6 versions

Key management for encrypted broadcast- ➤ tail.ac.ii (PDF)

A Wool - ACM Transactions on Information and System Security (TISSEC), 2000 - portal.acm.org ... General Terms: Security Additional Key Words and Phrases: **Conditional access**, pay-per ... However, their techniques rely on RSA **public-key** cryptography [Rivest et ... Cited by 26 - Related articles - Web Search - All 14 versions

[PS] ► A security platform for future telecommunication applications and services M Gehrke, E Koch - Proc. of the 6th Joint European Networking Conference, 1992 - igd.fhg.de ... relations between objects (eg hierarchy or federation ... frequency, such as public key certificates, will ... the RACE Workshop on Conditional Access, Bruessel, Nov ... Cited by 5 - Related articles - View as HTML - Web Search - All 3 versions

Method of electronic payment by chip card by means of numbered tokens allowing the detection of ...

LC Guillou, JJ Quisquater - US Patent 5,305,383, 1994 - Google Patents ... For **conditional access**, keyholder cards are used. ... 15 which is teyond his control **Public-key** algorithms will ... of the au- algorithms with a **hierarchy** of secret keys ... Cited by 10 - Related articles - Web Search - All 2 versions

[PDF] Security protocols over open networks and distributed systems: Formal methods for their analysis, ...

S Gritzalis, D Spinellis, P Georgiadis - Computer Communications, 1999 - eprints.kfupm.edu.sa ... the Equicrypt protocol [38] for **conditional access** to multimedia ... not cover protocols using **public-key** algorithms nor ... Boyd proposes a **hierarchy** of extensional ... Cited by 86 - Related articles - View as HTML - Web Search - All 12 versions

Protecting Intellectual Proprietary Rights Trough Secure Interactive Contract Negotiation-

C Serrão, J Guimarães - Lecture notes in computer science, 1999 - Springer ... allowing the integration of a **hierarchy** of effective ... the API, developers of **conditional access** systems can ... through the use of **public key** cryptography and smart ... Related articles - Web Search - BL Direct - All 8 versions

Application data table for a multiservice digital transmission system

F Rey, T Furet, P Poulain, P It - 2000 - freepatentsonline.com ... example, by a combined hash and **public key**/private key ... 2 shows the architecture of the **conditional access** system of ... Figure 6 shows the **hierarchy** of packets for ... Web Search - All 7 versions

Method and apparatus for controlling access to confidential data by analyzing property inherent in ...

RD Cassagnol, DM Dillon, DS Kioper, SJ Weber, BE ... - US Patent App. 09/160,846, 1998 - Google Patents ... For example, **conditional access** broad- casting networks such as cable television networks and, more recently, direct satellite broadcasting networks are based ... Cited by 1 - Related articles - Web Search - All 4 versions

Emerging Optical Network

V Authors - 2000 - books.google.com ... customized application of mobile enhanced logic CAP competitive access provider OR carrierless amplitude and phase modulation CAT **conditional access** table xvi ...

Web Search

[PDF] ▶ Directory Enabled Policy Based Networking

CM Kelijaa - 2001 - prod.sandia.gov

... As the names indicate, these represent a hierarchy of delegated administration. ...

application, and time of day, can be established for conditional access-control ...

View as HTML - Web Search - All 5 versions

Secure super distribution of user data

AAM Staring, FLAJ Kamperman - US Patent App. 10/011,889, 2001 - Google Patents ... title; [0022] a decryption key of the user data, encrypted in the **public key** of the ... invention one or more keys, which can be part of a key **hierarchy**, are used ... Web Search - All 6 versions

Threshold cryptography scheme for message authentication systems

A Eskicioglu - US Patent App. 09/961,901, 2001 - Google Patents ... of the sender's **public key** is a major problem requiring complex **public key** infrastructures. ... secret sharing may be used to establish the required key **hierarchy**. ... Related articles - Web Search - All 7 versions

Baseband Signal Processing

E Saggese - Satellite Communication Systems Design, 1993 - books.google.com Page 99. Baseband Signal Processing E. Saggese I. Introduction 3 This chapter is devoted to operations performed on the baseband ...

Related articles - Web Search

Creating a new security for tomorrow's communication networks and information systems

M Riguidel - Annals of Telecommunications, 2000 - Springer ... ISAKMP (RFC2408). See www.ietf.org/html.charters/ipsec-charter.html. 12. PKIX: PVd X509: Public-Key Infrastructure x.509. The PKEX... Cited by 2 - Related articles - Web Search - 8L Direct - All 3 versions

Unified end-to-end security methods and systems for operating on insecure networks

MM Atalia - US Patent 5,960,086, 1999 - Google Patents

... 1, XP000428048 Tsubakiyama H et al: "Security for Information Data Broadcasting System with **Conditional-Access** Control" see p. 165, right-hand col. ...

Cited by 5 - Related articles - Web Search - All 7 versions

System for generation of object profiles for a system for customized electronic identification of

* * *

FSM Herz, JM Eisner, LH Ungar - US Patent 5,835,087, 1998 - Google Patents ... 58-67. Rivest, RL; Shamir,A. & Adleman, L.; "A Method for Obtaining Digital Signatures and **Public-Key** Cryptosys- tems", Communications of the ACM, Feb. ...

Cited by 114 - Related articles - Web Search - All 2 versions

System for customized electronic identification of desirable objects

FSM Herz - US Patent 6,029,195, 2000 - Google Patents
Page 1. United States Patent Herz US006029195A [ii] Patent Number: [45] Date of Patent: 6,029,195 Feb. 22, 2000 [54] SYSTEM FOR CUSTOMIZED ...

Cited by 115 - Related articles - Web Search - All 4 versions

System for generation of user profiles for a system for customized electronic identification of ...

FSM Herz, JM Eisner, LH Ungar, MP Marcus - US Patent 5,754,939, 1998 - Google Patents ... 58-67. Rivest. RL; Shamir, A. & Adleman. L.; "A Method for Obtaining Digital Signatures and **Public-Key** Cryptosys- tems". Communications of the ACM. Feb. 1978. ...

Cited by 138 - Related articles - Web Search - All 2 versions

Method for granting accesses to information in a distributed computer system

A Duncan, S Farrell, C Scott - US Patent 6,163,844, 2000 - Google Patents

... SGML documents are sequence of characters that are physically organized as a set of entities and are logically organized in a **hierarchy** of elements. ...

Cited by 5 - Related articles - Web Search - All 2 versions

[воок] SEMPER--secure Electronic Marketplace for Europe

G Lacoste - 2000 - books.google.com

... Electronic Commerce 81.3.1 Secure Channels 81.3.2 Trusted Market Provider 91.3.3 Digital Signatures and **Public-Key** Infrastructures 10.6.1 Class **Hierarchy** 174 ...

Cited by 25 - Related articles - Web Search - Library Search - All 3 versions

Pseudonymous server for system for customized electronic identification of desirable objects

FSM Herz, JM Eisner, M Salganicoff - US Patent 5,754,938, 1998 - Google Patents

... 58-67. Rivest, RL; Shamir. A & Adleman. L.; "A Method for Obtaining Digital Signatures and **Public-Key** Cryptosys- tems". Communications of the ACM. Feb. 1978. ...

Cited by 75 - Related articles - Web Search - All 2 versions

[PDF] ➤ Commercial electronic publishing over open networks: a global approach based on mobile objects (...

JH Morin - 1999 - cui.unige.ch

Page 1. UNIVERSITÉ DE GENÈVE Faculté des Sciences Économiques et Sociales Département de Systèmes d'Information Commercial Electronic Publishing ...

Cited by 12 - Related articles - View as HTML - Web Search - Library Search - All 5 versions

[PDF] ▶ Pre-study on "Customer Care, Accounting, Charging, Billing, and Pricing"

B Stiller, G Fankhauser, B Plattner, N Weiler - Computer Engineering and Networks Laboratory TIK, ETH ...,

... As an example, critical enabling technologies for Internet Electronic Commerce, such as hard- ware and software in the **public key** infrastructure, eg, smart ...

Cited by 5 - Related articles - View as HTML - Web Search - All 5 versions

STREAMING MEDIA PLAYER WITH CONTINUOUS CONTROL AND PROTECTION OF MEDIA CONTENT

TG Shamoon, RD Hill, CD Radcliffe, JP Hwa, P It - 2000 - freepatentsonline.com ... eg, message authentication codes), digital signatures, and/or **public key** certificates used ... indicators allow IPMP System 812 to establish a **hierarchy** of messages ... Web Search - All 4 versions

Key authors: B Macq - J Quisquater - B Briscoe - F Herz - A Wasilewski

"public key" "conditional access" hie Search

Go to Google Home - About Google - About Google Scholar

©2009 Google